SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product Name: Product Code: Eyelash Tint Black/Blue SPE7520

Group I

Application of the mixture: Peroxide-containing product or mixture: neutralisers, tint developers

CAS No: tint Solution

Company Name and Address: Bellitas Ltd, Unit 12 Prospect Drive, Britannia Enterprise Park, Lichfield, Staffs. WS14 9UX

Emergency Telephone No: +44 (0) 1543 416611

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC 1272/2008 Product is not Hazardous, nor classified under EC1272/2008

The full text for all Risk Phrases and Hazard Statements are displayed in section 16

2.2 Label Elements

Signal word:

None

Hazard Statements:

Product is not Hazardous, nor classified under EC1272/2008

This product may cause an allergic reaction. Patch testing should be completed prior to the first treatment and re-tested after any lapse of treatment longer than three months.

Precautionary Statements:

P402+404: Store in a dry place. Store in a closed container. P410+403: Protect from sunlight. Store in a well-ventilated place.

3.2 Mixtures/Ing			
	Water), Cetearyl Alcohol, 2,4 , CI 770077	Diaminophenoxyethanol p-Phe	nylenediamine, Sodium Laureth Sulfate, Sodium Cetearyl
Name/Form. n/a	CAS / EC No. tint Solution	Concentration n/a	Classification Product has no classifications
Main Active(s)	p-Phenylenediamine,	Sodium Cetearyl Sulfate, m-Ar	ninophenol, Resorcinol, 2,4-Diaminophenoxyethanol.

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation	This product does not contain any volatile substances.
Skin Contact Eye Contact	Wash well with water; if irritation persists seek medical advice Wash well with water; if irritation persists seek medical advice.
Accidental Ingestion	Do not induce vomiting, drink copious amounts of water. Seek medical help.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation	Symptoms unlikely from small amounts, but inhalation of large amounts may cause headaches, dizziness, unconsciousness	
Skin Contact Prolonged skin contact may cause drying of the skin.		
Eye Contact	If liquid gets into the eyes it may cause redness, stinging, watering of the eye.	
Ingestion	Ingestion of the liquid may cause irritation to the throat and mouth, and symptoms similar to inhalation	

4.3 Indication of any immediate and any special treatment needed

Immediate / special treatment	Symptomatic treatment as required
-------------------------------	-----------------------------------

SECTION 5: Firefighting measures

5.1 Extinguishing media

Use:Not flammable, extinguishing not required.Avoid:Spread of leaking liquid or powder.

5.2 Special Hazards arising from the substance or mixture

No immediate fire hazard. No vapours likely from this product. No toxic gases emitted from this product.

5.3 Advice for firefighters

Wear suitable gloves for clear up. Breathing apparatus only required if pungent smell exists. Do not allow solutions to run off into drains.

Additional information

None.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes. Wear gloves when handling spillages. Wear protective equipment. Keep unprotected personal away.

6.2 Environmental precautions

Avoid spreading of the material. Contain spillages with sand, earth or suitable inert absorbent material. Prevent further spillages.

Do not allow to penetrate the ground/soil, enter drains or water courses. Cover drains. In the case of contamination of water courses or sewers advise the Environmental Agency, fire brigade and police.

6.3 Methods and materials for containment and cleaning up

Absorb with liquid binding material, vermiculite, sand, earth or suitable inert absorbent material.

Rinse site with copious amounts of water, which should not be allowed into drains, sewers or watercourses

Ensure adequate ventilation 6.4 Reference to other sections

See section 7 for information on safe handling

See section 8 for information on protective equipment

See section 13 for disposal information

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid ingestion. Minimise personal exposure to the product. Ensure good interior ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Storage Store in a cool, dry place in full tightly sealed containers. Keep away from possible sources of combustion.

Incompatibilities

Store away from oxidising agents. Store away from alkalis (caustic solution). Store away from acids. **7.3 Specific end use(s)** No special precautions.

SECTION 8: Exposure controls/personal protection			
8.1 Control parameter Workplace exposure l	mits		
Name Std	TWA 8 hour exposure limit	STEL 15 minute exposure limit	Source/Type
DNELS Human oral Human dermal Human inhalation Human inhalation	Worker Systemic affects none stated		Consumer Systemic effects
PNECS PNEC Aqua (Freshwater) PNEC Aqua (Marine) PNEC Sediment PNEC Soil			
8.2 Exposure controls			
Engineering measures	Provide eyewash s	station.	
Respiratory protection Hand protection	For prolonged con worn. Seek recom	If ventilation is insufficient suitable respiratory equipment must be provided. For prolonged contact with the product, suitable protective gloves conforming to EN374 should be worn. Seek recommendations from manufacturer or supplier. Contact lenses should not be worn when working with this chemical. Wear approved safety googles.	
Eye protection		and het be worn when working with this	chemical treat approved surely googles.
Skin protection	protective clothing overalls and unde	s of skin contact. Wash promptly if skin be g. Promptly remove non-impervious cloth r garments regularly. When using do not	ning that becomes contaminated. Launder eat, drink or smoke.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work.

Other protective & hygiene measures

SECTION 9: Physical and chemical properties

9.1 Information on the basic physical and chemical properties

Appearance	Mobile liquid
Odour	Pungent peroxide smell.
Odour threshold	Not determined
pH value	pH 2.5 - 3.5
Solubility in water	Soluble in water
Initial boiling point/boiling range °C	108°C (hydrogen peroxide)
Melting Point / range ^o C	None specified
Flash point ^o c	Not flammable
Upper/lower flammability limits	Typically 2-12%
Vapour pressure at 20°C	None specified
Vapour density at 20°C	1
Auto ignition temperature °C	None specified
Alcohol content	None
Specific gravity	1.00 approx.
Viscosity at 20°C	Mobile liquid
	News
9.2 Other information	None

10.1 Reactivity	Not considered to be reactive
10.2 Chemical stability	Stable under normal conditions and storage. See section 7
10.3 Possibility of hazardous reactions	Thermal or chemical breakdown will result in the release of oxygen.
10.4 Conditions to avoid	High temperatures, flames and other sources of ignition.
10.5 Incompatible materials	Strong oxidising agents, strong acids, strong alkalis.
10.6 Hazardous decomposition products	Thermal decomposition or combustion may include oxides of carbon or nitrogen.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

This product has not been tested. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

Acute toxicity	This product has not been subjected to toxicity testing.
Inhalation Skin contact Ingestion Eye contact	In high concentrations vapours may cause headache, fatigue, dizziness and nausea Prolonged and frequent exposure may cause skin dryness and cracking Gastrointestinal symptoms, including upset stomach Irritating to the eyes
Comments	This product has been assessed as safe to use under normal conditions of use and according to instructions.

SECTION 12: Ecological information

This product has not been subjected to toxicological testing. Judgements on the expected toxicity of this product have been made based upon consideration of its major components.

This product components are not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment

12.1 Toxicity 37mg/l (hydrogen peroxide) Toxicity to fish Toxicity to invertebrates No data available Toxicity to algae 1.38 mg/l (hydrogen peroxide) 12.2 Persistence and degradability Readily biodegradable. 12.3 Bioaccumulation There is no evidence of bio accumulative. 12.4 Mobility in soil No further relevant information available 12.5 Results of PBT and vPvB assessment Not applicable 12.6 Other adverse effects No further relevant information available

SECTION 13: Disposal considerations

Do allow the product to reach the sewerage system or waterways. Empty containers may contain residual product with pungent vapour.

SECTION 14: Transport information

14.1 UN number		
UN No. (ADR/RID/IMDG/IATA)	No	
14.2 UN proper shipping name	Not applicable	
14.3 Transport hazard class(es)		
ADR, IMDG, IATA	None	
	None	
14.4 Packing group	None (ADR/RID/AND/IMDG/ICAO,IATA)	
14.5 Environmental hazards		
Marine pollutant	None	
14.6 Special precautions for user		
Danger code (Kemlar)/hazard no. (ADR)	None	
EMS no.	None	
Tunnel restriction code	None	
14.7 Transport in bulk according to annex II		
of Marpol and the IBC Code	Not applicable	
14.8 Additional information		
Limited quantities (LQ)	None Litre(s)	
EC N°		

SECTION 15: Regulatory information

15.1 Safety, health and environment regulations/legislation specific for the substance or mixture All components are listed as existing substances in Europe

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this product.

SECTION 16: Other information

Classification of the mixture is in general based on calculation method using substance data, as required by (EC) 1272/2008

Abbreviations and acronyms used in the safety data sheet

DNELDerived No-Effect LevelECEuropean CommunityEECEuropean Economic CommunityEMS NoEmergency Response Procedure numberEye Irrit.Eye IrritantFlam. Liq.Flammable LiquidhPa1 hPa = 100 Pa (Pascal)LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulativeWELWorkplace Exposure Limit	CAS No	Chemical Abstracts Service number
EECEuropean Economic CommunityEMS NoEmergency Response Procedure numberEye Irrit.Eye IrritantFlam. Liq.Flammable LiquidhPa1 hPa = 100 Pa (Pascal)LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	DNEL	Derived No-Effect Level
EMS NoEmergency Response Procedure numberEye Irrit.Eye IrritantFlam. Liq.Flammable LiquidhPa1 hPa = 100 Pa (Pascal)LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	EC	European Community
Eye Irrit.Eye IrritantFlam. Liq.Flammable LiquidhPa1 hPa = 100 Pa (Pascal)LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	EEC	European Economic Community
Flam. Liq.Flammable LiquidhPa1 hPa = 100 Pa (Pascal)LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	EMS No	Emergency Response Procedure number
hPa1 hPa = 100 Pa (Pascal)LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	Eye Irrit.	Eye Irritant
LC50Lethal Concentration, 50%LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	Flam. Liq.	Flammable Liquid
LD50Lethal Dose, 50%PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	hPa	1 hPa = 100 Pa (Pascal)
PBTPersistent, Bio accumulative and ToxicPNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	LC50	Lethal Concentration, 50%
PNECPredicted No-Effect ConcentrationPpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	LD50	Lethal Dose, 50%
PpmParts Per MillionREACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	PBT	Persistent, Bio accumulative and Toxic
REACHRegistration, Evaluation, Authorisation and Restrictions of ChemicalsSTOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	PNEC	Predicted No-Effect Concentration
STOTSpecific Target Organ ToxicityvPvBVery Persistent and Very Bio accumulative	Ppm	Parts Per Million
vPvB Very Persistent and Very Bio accumulative	REACH	Registration, Evaluation, Authorisation and Restrictions of Chemicals
- , ,	STOT	Specific Target Organ Toxicity
WEL Workplace Exposure Limit	vPvB	Very Persistent and Very Bio accumulative
	WEL	Workplace Exposure Limit

Hazardous and Precautionary Statements in full used in section 2 and 3

Hazard Statements:

Product is not Hazardous, nor classified under EC1272/2008

Precautionary Statements:

P402+404: Store in a dry place. Store in a closed container. P410+403: Protect from sunlight. Store in a well-ventilated place.

> Version 20: 1 Issue Date: 31/03/2021

WE BELIEVE THAT THE INFORMATION CONTAINED HEREIN IS CURRENT AS OF THE DATE OF THIS SAFETY DATA SHEET. IT IS THE USERS OBLIGATION TO DETERMINE CONDITIONS OF SAFE USE OF THIS PRODUCT.